



**PORTABLE
HOT WATER**

4012-10C

**Cat Direct Drive Pump
General Pulsar Unloader Valve with EZ Start
4 GPM @ 4000 PSI, 13 HP Honda Engine
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Diesel Fired 12 Volt Hot Water Burner System
Remote Chemical Injector Assembly with QC's
Four High Pressure QC Tips**

Optional 150' hose reel with mounting kit-installed

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.



**PORTABLE
HOT WATER**

4012-10G

**General Direct Drive Pump
General Pulsar Unloader Valve with EZ Start
4 GPM @ 4000 PSI, 13 HP Honda Engine
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Diesel Fired 12 Volt Hot Water Burner System
Remote Chemical Injector Assembly with QC's
Four High Pressure QC Tips**

Optional 150' hose reel with mounting kit-installed

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.



**HOT WATER
SUPER SKID**

6012-10G

**General Belt Drive Pump
General Pulsar Unloader Valve with EZ Start
5.5 GPM @ 4000 PSI, 20 HP Honda Engine
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Diesel Fired 12 Volt Hot Water Burner System
Remote Chemical Injector Assembly with QC's
Four High Pressure QC Tips**

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.

HONDA
ENGINES



HOT WATER
SUPER SKID

8012-20G

General Belt Drive Pump
General Pulsar Unloader Valve with EZ Start
8 GPM @ 3500 PSI, 24 HP Honda Engine
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Diesel Fired 12 Volt Hot Water Burner System
Remote Chemical Injector Assembly with QC's
Four High Pressure QC Tips

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.

BALDOR



B4040E3G303

**TEFC Motor, 230 Volt, 3 Phase, 34 Amps
Mag Starter, Thermal Overload, Start Stop Buttons
4 GPM @ 4000 PSI, 15 HP Baldor Motor, Gen. Pump
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Impact Resistant Powder Coated Frame
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Frame
Exclusive Polychain Drive System**



B4540E3C307

**TEFC Motor, 230 Volt, 3 Phase, 34 Amps
Mag Starter, Thermal Overload, Start Stop Buttons
4.5 GPM @ 4000 PSI, 15 HP Baldor Motor, Cat Pump
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Impact Resistant Powder Coated Frame
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Frame
Exclusive Polychain Drive System**

HONDA
ENGINES



POLYCHAIN DRIVE

B5535HGEA303

**General Belt Drive Pump
Gen. Pump Unloader Valve**

5.5 GPM @ 3500 PSI, 18 HP Honda Engine

**50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's**

Impact Resistant Powder Coated Frame

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

Remote Chemical Injector Assembly

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

BALDOR



B5550E3G511

**TEFC Motor, 230 Volt, 3 Phase, 46 Amps
Mag Starter, Thermal Overload, Start Stop Buttons
5.5 GPM @ 5000 PSI, 20 HP Baldor Motor, Gen. Pump
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Impact Resistant Powder Coated Frame
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Frame
Exclusive Polychain Drive System**



E3024HC

Cat Direct Drive Pump
Cat Modular Unloader Valve
3GPM @ 2400 PSI, 5.5 HP Honda Engine
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Built in Chemical Injector with Tip
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Frame
No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.



E3027HC



Cat Direct Drive Pump
Cat Modular Unloader Valve
3GPM @ 2700 PSI, 6.5 HP Honda Engine
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Built in Chemical Injector with Tip
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Frame
No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

HONDA
ENGINES



E3027HG

General Direct Drive Pump
General Modular Unloader Valve
3GPM @ 2700 PSI, 6.5 HP Honda Engine
30' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Remote Chemical Injector with QC's and Tip
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Frame
No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.



"The World's Most Dependable Pumps"



E3027RC

**Cat Direct Drive Pump
Cat Unloader Valve**

3GPM @ 2700 PSI, 6 HP Subaru Engine

50' High Pressure Hose with QC's

Gun and Wand Assembly with QC's

Chemical Injector with Tip

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.



E3032HC

**Cat Direct Drive Pump
Cat Unloader Valve**

3GPM @ 3200 PSI, 9 HP Honda Engine

50' High Pressure Hose with QC's

Gun and Wand Assembly with QC's

Remote Chemical Injector with QC's and Tip

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

 **SUBARU**
Robin Industrial Engines


GENERAL PUMP



E3032RG

General Direct Drive Pump
General Modular Unloader Valve
3GPM @ 3200 PSI, 9 HP Subaru Engine
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Remote Chemical Injector with QC's and Tip
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Frame
No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.

LOMBARDINI



E4032LDG

General Direct Drive Pump
General Modular Unloader Valve
4GPM @ 3200 PSI, 10 HP Lombardini Diesel Engine
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Remote Chemical Injector with QC's and Tip
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Frame
No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.

HONDA
ENGINES

FEATURING



E4040HA

AR Direct Drive Pump
AR Modular Unloader Valve
4GPM @ 4000 PSI, 13 HP Honda Engine
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Remote Chemical Injector with QC's and Tip
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Frame
No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

HONDA
ENGINES

EAT
PUMPS



PULSAR UNLOADER

E4040HC

Cat Direct Drive Pump

Gen. Pulsar Modular Unloader with EZ Start Valve

4GPM @ 4000 PSI, 13 HP Honda Engine

50' High Pressure Hose with QC's

Gun and Wand Assembly with QC's

Remote Chemical Injector with QC's and Tip

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.



PULSAR UNLOADER

E4040HG

**General Direct Drive Pump
Gen. Pulsar Modular Unloader with EZ Start Valve
4GPM @ 4000 PSI, 13 HP Honda Engine
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Remote Chemical Injector with QC's and Tip
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Frame
No Welds to Crack, Break, or Fail**

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.

HONDA
ENGINES



E4040HGI

General Direct Drive Pump

General Pump with Built into the Head Unloader

4GPM @ 4000 PSI, 13 HP Honda Engine

50' High Pressure Hose with QC's

Gun and Wand Assembly with QC's

Built in Chemical Injector with QC's and Tip

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

HONDA
ENGINES

EAT
PUMPS



EB4035HC

Cat Belt Drive Pump

Gen. Pulsar Modular Unloader with EZ Start Valve

4GPM @ 3500 PSI, 13 HP Honda Engine

50' High Pressure Hose with QC's

Gun and Wand Assembly with QC's

Remote Chemical Injector with QC's and Tip

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.

HONDA
ENGINES

FEATURING



EB4040HA

AR Belt Drive Pump

General Pulsar Unloader Valve with EZ Start

4GPM @ 4000 PSI, 13 HP Honda Engine

50' High Pressure Hose with QC's

Gun and Wand Assembly with QC's

Remote Chemical Injector with QC's and Tip

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

HONDA
ENGINES



EZ-View Sight Glass

EB4040HG

General Belt Drive Pump, (3 V-Belts)

Gen. Pulsar Modular Unloader with EZ Start Valve

4GPM @ 4000 PSI, 13 HP Honda Engine

50' High Pressure Hose with QC's

Gun and Wand Assembly with QC's

Remote Chemical Injector with QC's and Tip

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.



EE2012G

**ELECTRIC
MOTOR**

**Gen. Direct Drive Pump
Gen. Modular Unloader Valve
2 GPM @ 1200 PSI, 1.5 HP, 115 Volt, 13 Amp, 1 Phase
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Remote Chemical Injector with QC's and Tip
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Frame
No Welds to Crack, Break, or Fail**

HONDA
ENGINES

EAT
PUMPS



EG4035HCP

Cat Gear Drive 5CP Pump

Gen. Pulsar Modular Unloader with EZ Start Valve

4GPM @ 3500 PSI, 13 HP Honda Engine

50' High Pressure Hose with QC's

Gun and Wand Assembly with QC's

Remote Chemical Injector with QC's and Tip

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.



HBS12V60

**Diesel Fired Hot Box
12 Volt Charging System
6 GPM Max.Flow, 4000 PSI Max. Pressure
Schedule 80 Coil
9 Gal. Fuel Tank
Stainless Steel Coil Wrap
Painted Steel Frame
High Pressure Pop Off
Flow Switch**



HBSLP50

LP Fired Hot Box
Propane Tanks Available as an Option
6 GPM Max.Flow, 4000 PSI Max. Pressure
Schedule 80 Coil
Thermostat Available as an Option
Stainless Steel Coil Wrap
Painted Steel Frame
Pressure Relief Valve
Flow Switch

HONDA
ENGINES

FEATURING



HC2500HA

AR Direct Drive RMV Pump

AR Unloader Valve

2.5 GPM @ 2500 PSI, 5 HP Honda Engine

30' High Pressure Hose with 22mm twist lock couplers

Gun and Wand Assembly with adj. vario-nozzle

Chemical Injector

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

HONDA
ENGINES



HC2500HC

Cat Direct Drive Pump

Cat Unloader Valve

2.5 GPM @ 2500 PSI, 5 HP Honda Engine

30' High Pressure Hose with 22mm twist lock couplers

Gun and Wand Assembly with adj. vario-nozzle

Chemical Injector

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

SEWER JETTER



J/D4040HG

**General Direct Drive Pump
General Pulsar Unloader Valve with EZ Start Valve
4 GPM @ 4000 PSI, 13 HP Honda Engine
Jetter Valve and Ball Valve and 1 jetter tip
Roll cage cart with Hose Reel Assy.
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Frame
No Welds to Crack, Break, or Fail**

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

Pro-ATV Skid



HYPRO

POWERED by
HONDA



CST050-GATOR, 266693 Gun, 200' of 4465-1702, AHR250-2, RCS/G1050HH / AST050-GATOR, KBP100, AHR100-1, RCS/E3027HG-TF

(Gator not included)

SELECT A TANK, ALUM. SKID, & INLET PLUMBING KIT

MODEL #	DESCRIPTION	REF.LIST
AST050-GATOR	Assy. Skid/Tank, 50 Gal., and Inlet plumbing, (Gator, Rhino, Mule, etc.) <i>Dimensions: (with AHR100-1) 38"W x 48"L x 44"H, Ship Wgt.: 200 lbs.</i>	
CST050-GATOR	Assy. Chemical Skid/Tank, 50 Gal., with Inlet Plumbing & Bypass (Gator, Rhino, Mule, etc.) <i>Dimensions: (with AHR100-1) 38"W x 48"L x 44"H, Ship Wgt.: 200 lbs.</i>	

SELECT OPTIONS

MODEL #	DESCRIPTION	REF.LIST
KBP100	Tank feed unloader bypass return and hose assy. (CST050-GATOR already has Bypass)	
266693	Ag. Spray Gun, compare to JD9	
4465-1702	Ag. Hose, 3/8", Yellow, Select 200' or 400', (Price is per foot)	
KTF100	Float valve assembly- (Shuts water off when tank is full)	
KTD075	Tank Drain, 3/4"	
LWS100	Low Water Shutdown	

SELECT A HOSE REEL

MODEL #	DESCRIPTION	REF.LIST
AHR100-1	Gen. Hose reel w/ hardware, 100' X 3/8" Maximum	
AHR200-1	Gen. Hose reel w/ hardware, 200' X 3/8" Maximum	
AHR250-2	Hosetract Heavy Duty Hose reel w/ hardware, 250' X 3/8" Maximum	
AHR250-3	Titan S.S. Hose reel w/ hardware, 250 X 3/8" Maximum	

SELECT A PRESSURE WASHER POWER UNIT

MODEL #	DESCRIPTION	REF.LIST
RCS/E3027HG-TF	Direct Drive, 3.0 GPM @ 2700 PSI – 6.5 HP. Honda w/GP pump, Tank-Fed, Roll Cage	
RCS/G1050HH	Gear Drive Chem. Sprayer, 10 GPM @ 500 PSI, 5.5 HP Honda, Hypro Roll Cage Skid	

Don't see it? Call the Pros, many other models available.

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

PRO-SKID Modular Tank Feed

Pro-Skid units can be combined with various cold water pressure washer skid units to achieve a "Totally Self Contained" 50, 100, or 200 gallon tank feed system. Available pressures of 2400 PSI to 5000 PSI and up to 5.5 GPM in belt, gear and direct drive configurations. Add the model with those features and options below to design a custom built Honda powered unit built to your specifications. All skids are constructed of Aircraft grade aluminum which are chemically resistant and rustproof. All units feature adjustable pressure unloader valve and engine oil drain kit. These portable units mount quickly and securely into truck beds, trailers or other vehicles.



AST200, ASR100, KBP100, AHR200-1, KTD075, LWS100, TS/D4040HGE331

SELECT A TANK, ALUM. SKID, & INLET PLUMBING KIT

MODEL #	DESCRIPTION
AST050	50 Gallon tank, Bands, Aluminum Skid, and Inlet plumbing <i>Dimensions: (with AHR250) 39"W x 62"L x 44"H, (w/o hose reel) 39"W x 62"L x 31"H</i>
AST100	100 Gallon tank, Bands, Aluminum Skid, and Inlet plumbing <i>Dimensions: (with AHR250) 39"W x 62"L x 44"H, (w/o hose reel) 39"W x 62"L x 31"H</i>
AST200	200 Gallon tank, Bands, Aluminum Skid, and Inlet plumbing <i>Dimensions: (with AHR250) 39"W x 62"L x 44"H, (w/o hose reel) 39"W x 62"L x 31"H</i>

SELECT OPTIONS

MODEL #	DESCRIPTION
ASR100	Aluminum hose reel support assembly with mounting hardware
KBP100	Tank feed unloader bypass return and hose assembly
KTF100	Float valve assembly- (Shuts water off when tank is full)
KTD075	Tank Drain, 3/4"
LWS100	Low Water Shutdown

SELECT A HOSE REEL

MODEL #	DESCRIPTION
AHR100-1	Gen. Hose reel w/ hardware, 100' X 3/8" Maximum
AHR200-1	Gen. Hose reel w/ hardware, 200' X 3/8" Maximum
AHR250-2	Hosetract Heavy Duty Hose reel w/ hardware, 250' X 3/8" Maximum
AHR250-3	Titan S.S. Hose reel w/ hardware, 250 X 3/8" Maximum

SELECT A PRESSURE WASHER POWER UNIT

MODEL #	DESCRIPTION
TS/D3024HG332	Direct Drive, 3.0 GPM @ 2400 psi – 5.5 hp. Honda w/GP pump, Tank-Fed
TS/D3027HG332	Direct Drive, 3.0 GPM @ 2700 psi – 6.5 hp. Honda w/GP pump, Tank-Fed
TS/D3032HG331	Direct Drive, 3.0 GPM @ 3200 psi – 9.0 hp. Honda w/GP pump, Tank-Fed
TS/D4040HG331	Direct Drive, 4.0 GPM @ 4000 psi – 13 hp. Honda w/GP pump, Tank-Fed
TS/VB4040HG331	Belt Drive, 4.0 GPM @ 4000 psi – 13 hp. Honda w/GP pump, Tank-Fed
TS/VB5535HGEA331	Belt Drive, 5.5 GPM @ 3500 psi – 20 hp. Honda w/GP pump, Tank-Fed

Don't see it? Call the Pros, many other models available.

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

Pro-Test Hydrostatic Line Tester



**Quickly and reliably pressure test plumbing for leakage and integrity
Up to 580 PSI – 10.5 GPM Maximum Performance**

Featuring lightweight aircraft aluminum frames that are rustproof and chemically resistant.

Adjustable pressure control valve with garden hose inlet and bypass for pressure feed.

Dual diaphragm– oil bath pump allows for sanitation after testing without damaging pump.

All terrain pneumatic wheels make these units portable and easy to transport to any job.

Includes: pressure test gauge, 50' HP discharge hose, garden hose inlet and shut-off valve

MODEL

UAG1050HU

UAG1055HU

UAG1058HU

DESCRIPTION

Powered with 5.0 HP GC160 Honda engine

Powered with 5.5 HP GX160 Honda engine

Powered with 6.5 HP GX200 Honda engine

HOSE-KIT OPTION

PART NUMBER

KSD010

Includes 10' suction hose assembly with strainer
allowing for tank, siphon and gravity inlet feed
10' discharge hose assembly with weighted end

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

HONDA
ENGINES



Pump and plumbing on actual machine is different than the machine in the picture.

S/B5540HGEA303

General Belt Drive Pump
Gen. Pump Pulsar Unloader Valve with EZ Start
5.5 GPM @ 4000 PSI, 20 HP Honda Engine
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Impact Resistant Powder Coated Frame
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Skid
Remote Chemical Injector Assembly

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

HONDA
ENGINES



S/E3027HG-TF

General Direct Drive Tank Fed Pump

General Modular Unloader Valve

3GPM @ 2700 PSI, 6.5 HP Honda Engine

50' High Pressure Hose with QC's

Gun and Wand Assembly with QC's

Remote Chemical Injector with QC's and Tip

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum SkidFrame

Great Machine for a Car Detailing Trailer

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.



S/G3002HCO-E

S/G3002HCO-E

5 HP GC Honda

S/G3002HCO

5.5 HP GX Honda

Comet Gear Drive Diaphragm Pump

3 GPM @ 220 PSI

200' Yellow Chemical Hose

Gun with Stainless Wand and QC

Two Spray Nozzles

Lightweight Aircraft Grade Aluminum Skid

Lifetime Skid Warranty

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.

HONDA
ENGINES

FEATURING



SP2700HA

AR Direct Drive Pump

AR Unloader Valve

2.5 GPM @ 2700 PSI, 6 HP Honda Engine

30' High Pressure Hose with QC's

Gun and Wand Assembly with QC's

Chemical Injector with Tip

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.



SP2700HC

**Cat Direct Drive Pump
Cat Unloader Valve**

2.5 GPM @ 2700 PSI, 6 HP Honda Engine

**30' High Pressure Hose with QC's
Gun and Wand Assembly with QC's**

Chemical Injector with Tip

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.



"The World's Most Dependable Pumps"



SP2700RC

**Cat Direct Drive Pump
Cat Unloader Valve**

3GPM @ 2700 PSI, 6 HP Subaru Engine

25' High Pressure Hose with QC's

Gun and Wand Assembly with QC's


Chemical Injector with Tip

Lifetime Frame Warranty

Lightweight Aircraft Grade Aluminum Frame

No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.



S/VB1520KCEA125

**Cat Pump, General Pump Unloader Valve
15 GPM @ 2000 PSI, 25 HP Kohler Engine
50' High Flow 1/2" High Pressure Hose with QC's
Gun and Wand Assembly with QC's**

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.

HONDA
ENGINES



VB5535HGEA311

General Belt Drive Pump
Gen. Pump Pulsar Unloader Valve with EZ Start
5.5 GPM @ 3500 PSI, 20 HP Honda Engine
50' High Pressure Hose with QC's
Gun and Wand Assembly with QC's
Maxi-Flo Chemical Injector with QC's
Lifetime Frame Warranty
Lightweight Aircraft Grade Aluminum Frame
No Welds to Crack, Break, or Fail

NOTE: Due to revised (SAE) J1349 horsepower rating standards on all gasoline powered engines, horsepower noted in our literature may be subject to modification as determined by engine manufacturer.